L Number	Hits	Search Text	DB	Time stamp
1	23230	uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))	USPAT; IBM_TDB	2004/04/13 11:34
2	66727	access$2 near3 (control$3 manage$4 protocol$1 polic$3)	USPAT; IBM_TDB	2004/04/13 11:22
3	1981	(uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)	USPAT; IBM_TDB	2004/04/13 11:43
4	694	(access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))	USPAT; IBM_TDB	2004/04/13 11:24
5	39509	object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom)	USPAT; IBM_TDB	2004/04/13 11:28
6	205	((access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))	USPAT; IBM_TDB	2004/04/13 11:28
7	198	(((access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and (remot$2 external$2 channel$1 path$1 communication$1)	USPAT; IBM_TDB	2004/04/13 11:29
8	165	(((access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and (remot$2 external$2) and (channel$1 path$1 communication$1)	USPAT; IBM_TDB	2004/04/13 11:29
9	110353	(user$2 client$2 requestor$2) near3 (information$1 name$1 organization$1 data identit$3 member$1 group$1)	USPAT; IBM_TDB	2004/04/13 11:44

09/465,514

10	152	((((access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and (remot$2 external$2) and (channel$1 path$1 communication$1)) and ((user$2 client$2 requestor$2) near3 (information$1 name$1 organization$1 data identit$3 member$1 group$1))	USPAT; IBM_TDB	2004/04/13 11:34
11	1792	uuid uid ((universal$1) near3 (id identit$3 identifier$1 identification$1))	USPAT; IBM_TDB	2004/04/13 11:42
12	53	(((((access$2 near3 (control$3 manage$4 protocol$1 polic$3)) and ((uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1))) near3 (database$1 rom ram memory storage$1 eeprom eprom)) and (uuid uid ((universal$1 unique$2) near2 (id identit$3 identifier$1 identification$1)))) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and (remot$2 external$2) and (channel$1 path$1 communication$1)) and ((user$2 client$2 requestor$2) near3 (information$1 name$1 organization$1 data identit$3 member$1 group$1))) and (uuid uid ((universal$1) near3 (id identit$3 identifier$1 identification$1)))	USPAT; IBM_TDB	2004/04/13 11:34
13	3055	uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))	USPAT; IBM_TDB	2004/04/13 11:43
15	262	(uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) near5 (database$1 rom ram memory storage$1 eeprom eprom)	USPAT; IBM_TDB	2004/04/13 12:25
16	96	((uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) near5 (database$1 rom ram memory storage$1 eeprom eprom)) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))	USPAT; IBM_TDB	2004/04/13 11:44
17	79097	(user$2 client$2 requestor$2) near3 (information$1 name$1 organization$1 member$5 group$1)	USPAT; IBM_TDB	2004/04/13 11:45
18	71	(((uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) near5 (database$1 rom ram memory storage$1 eeprom eprom)) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and ((user$2 client$2 requestor$2) near3 (information$1 name$1 organization$1 member$5 group$1))	USPAT; IBM_TDB	2004/04/13 12:20
20	3622	((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.	USPAT; IBM_TDB	2004/04/13 12:25

21	58	(uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.)	USPAT; IBM_TDB	2004/04/13 12:25
22	12	((uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.)) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))	USPAT; IBM_TDB	2004/04/13 12:25
23	12	(((uuid guid ((universal$1 global$2) near3 (id identit$3 identifier$1 identification$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.)) and (object$1 near3 (database$1 rom ram memory storage$1 eeprom eprom))) and (database$1 rom ram memory storage$1 eeprom eprom)	USPAT; IBM_TDB	2004/04/13 12:25